

**ADDENDUM for
PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES,
TRUCKS & VANS, & OTHER FLEET EQUIPMENT
BID 08-16-0908**

REVISED THIS PORTION AUGUST 22ND:

Specification #20 thru Specification #46: Corrected the Corner Strobes for Signal Vehicle

Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	This change was made for the second "Corner Strobe Kits for Signal Vehicle" - the first one should be RSK966 and the second one should be RSK996			
	Corner Strobe Kits – Signal Vehicle	Corner Strobe Kits – Signal Vehicle		
	Products Kit with 4 clear tubes, 6 outlet	Products Kit with 4 clear tubes, 6 outlet		
	RSK966 60w power supply, 2-15' cables,	RSK966 60w power supply, 2-15' cables,		
	2-30' cables	2-30' cables		

REVISED THIS PORTION AUGUST 19TH:

Specification #28 thru Specification #46: Corrected the Corner Strobes for Code 3

Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	This change was made for the second "Corner Strobe Kits for Code 3" - the first one should be PSE460 and the second one should be PSE690			
	Corner Strobe Kits – Code 3 Kit with 4	Corner Strobe Kits – Code 3 Kit with 4 clear		
	clear tubes, PSE460 power supply, 2-15'	tubes, 6 outlet PSE690 power supply, 2-15'		
	cables, 2-30' cables reverse polarity	cables, 2-30' cables, reverse polarity		
	protected; or corner LED Kits- Code 3 LED	protected; or corner LED Kits- Code 3 LED		
	hide-a-blast kit lights for front and rear	hide-a-blast kit lights for front and rear		
	specify colors	specify colors		

Specification #1 - FULL SIZE PURSUIT VEHICLES - RWD (Police Package)

Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	

Specification #2 - FULL SIZE PURSUIT VEHICLES - FWD (Police Package)

Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
Specification #3 - FULL SIZE UTILITY VEHICLES - RWD (Police Package)				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
Specification #4 - FULL SIZE 4-DOOR ADMINISTRATIVE VEHICLES				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
2009 Chevrolet Impala (1WB19)				
	4. COMFORT ITEMS:	4. COMFORT ITEMS:		Floor mats, front and rear
	f. Manufacturer's standard floor covering, with front and rear floor mats.	f. Carpet floor covering, with front and rear floor mats.		
Specification #5 - MID SIZE 4-DOOR ADMINISTRATIVE VEHICLES				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Mercury Milan (M08)	2010 Mercury Milan (M08)		
	2009 Honda Accord (CP2679JW)	2009 Honda Accord (CP2649EW)		
Specification #8 - SMALL 4 PASSENGER ELECTRIC VEHICLE				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
			Add: Optional equipment - specify	
Specification #10 - OFF-ROAD UTILITY VEHICLE - 2 WHEEL DRIVE				

Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Bush Hog (TH4200)	2009 Bush Hog (4430)		
		Delete: 2009 Yamaha Rhino 450		
Specification #11 - POLICE MOTORCYCLE				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Harley Davidson Road King (FLHP)			
	2009 Harley Davidson Electra Glide (FLHTP)			
Specification #12 - MOTORCYCLE				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Harley Davidson Sporster (XL 883)			
Specification #19 - FULL SIZE 4-DOOR UTILITY VEHICLES - 4x2				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Chevrolet Tahoe 1500 (CK10706/1FL)			
	2009 GMC Yukon (TK10706/1SA)			
Specification #20 - FULL SIZE 4-DOOR UTILITY VEHICLES - 4x4				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Chevrolet Tahoe 1500 (CC10706/1FL)			
	2009 GMC Yukon (TC10706/1SA)			
Specification #32 -1/2 TON PICKUP TRUCK - 4x2				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Chevrolet Silverado 1500 (CC10703))			
	2009 GMC Sierra 1500 (TC10703)			
Specification #35 - 3/4 TON PICKUP TRUCK - 4x4				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Shift on the fly	
Specification #37 - 1 TON PICKUP TRUCK (DUAL REAR WHEEL) - 4x4				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:

			Shift on the fly	
Specification #39 - 1 TON CAB & CHASSIS (DUAL REAR WHEEL) - 4x4				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Shift on the fly	
Specification #42 - 15,000 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4x4				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Shift on the fly	
Specification #44 - 17,501 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4x4				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Shift on the fly	
Specification #45 -25.500 lb. GVWR CAB & CHASSIS (Dual Rear Wheel) - 4x2				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
2009 Freightliner M2				
Specification #46 - 30,000 LB. GVWR CAB & CHASSIS (DUAL REAR WHEEL) - 4x2				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 Kenworth T300	2009 Kenworth T370		
Specification #47 - 52,000 LB. GVWR CAB & CHASSIS - 4x6 TANDEM AXLE TRUCK TRACTOR (ONLY)				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
2009 Freightliner M2-112				
2009 Sterling A or L Series				
	Specification #47 - 52,000 LB. GVWR	Specification #47 - 52,000 LB. GVWR		
	CAB & CHASSIS - 4x6 TANDEM AXLE	CAB & CHASSIS - 4x6 TANDEM AXLE		
	TRUCK TRACTOR (ONLY)	TRACTOR (ONLY)		
Specification #48 - 52,000 LB. GVWR CAB & CHASSIS - 4x6 TANDEM AXLE TRUCK				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
2009 Freightliner M2-112				

Specification #53 - SKID STEER LOADER - 1850 LB. OPERATING CAPACITY (TRACK OR TIRES)				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	6. LOADER:	6. LOADER:		
	a. Front auxiliary hydraulics	a. Front auxiliary hydraulics		
	b. Foot or hand controls for bucket	b. Foot or hand controls for bucket		
		c. Minimum 63" bucket		
Specification #57 - AGRICULTURE TYPE TRACTOR (2 WHEEL DRIVE)				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	2009 John Deere 5530 Canopy	2009 John Deere 5095M		
Specification #58 - AGRICULTURE TYPE TRACTOR WITH BOOM MOWER (2 WHEEL DRIVE)				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
		Add: 2009 John Deere 7130 with Alamo Versa Boom Mower		
Specification #59 - 15 FT. FLEX WING ROTARY MOWER - PTO DRIVEN				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
Specification #62 - REGENERATIVE AIR STREET SWEEPER				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
			Add: Upgrade option - specify	Add: Downgrade - specify
			Add: Upgrade option - specify	Add: Downgrade - specify
			Add: Upgrade option - specify	Add: Downgrade - specify
Specification #63 - 125KW GENERATOR PACKAGE				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	Trade Winds TJ125			
	9. CONDITIONS:	Delete: 9. CONDITIONS:	Add: Optional equipment - specify	Add: Delete option - specify

			Add: Optional equipment - specify	Add: Delete option - specify
Specification #64 - 600 AMP AUTOMATIC TRANSFER SWITCH				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	8. CONDITIONS:	Delete: 8. CONDITIONS:	Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	
Specification #65 - 6 INCH MOBILE PUMP PACKAGE				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	1. DESIGN REQUIREMENTS:	1. DESIGN REQUIREMENTS:		
	b. Duty Point, Maximum 1,300 gallons per minute minimum (GPM) at 100 ft.	b. Duty Point, Maximum 2,300 gallons per minute minimum (GPM) at 100 ft.		
	Total Dynamic Head (TDH)	Total Dynamic Head (TDH)		
	e. Solids Handling Size, Maximum: 2 inches	e. Solids Handling Size, Maximum: 3 inches		
	8. CONDITIONS:	Delete: 8. CONDITIONS:		
Specification #66 - ZERO TURN RADIUM COMMERCIAL GRADE MOWER				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	8. CONDITIONS:	Delete: 8. CONDITIONS:	Add: Upgrade - specify	Add: Downgrade option - specify
			Add: Upgrade - specify	Add: Downgrade option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
			Add: Optional equipment - specify	Add: Delete option - specify
Specification #69 - TWO WHEELED PERSONAL TRANSPORTER, ELECTRIC				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	7. CONDITIONS:	Delete: 7. CONDITIONS:	Add: Optional equipment - specify	
Specification #70 - FOUR WHEELED ROBOTIC MOBILITY PLATFORM, ELECTRIC				
Vehicles Rolled	Change From:	Change To:	Additional Options Added or Removed:	Delete Options Added or Removed:
	5. CONDITIONS:	Delete: 5. CONDITIONS:	Add: Optional equipment - specify	